

# Archlinux

## Hilfe

- <https://wiki.archlinux.org>
- <https://wiki.archlinux.de>
- <https://bbs.archlinux.org>
- <https://bbs.archlinux.de>

## X Starten ohne Displaymanager

<https://bbs.archlinux.org/viewtopic.php?pid=971168#p971168>

```
# --- window manager ---  
# i.e. usage: WM=ob startx for openbox  
  
DEFAULT_SESSION=i3  
case $WM in  
  ob)  
    dbus-launch --exit-with-session openbox-session  
    ;;  
  
  *)  
    dbus-launch --exit-with-session $DEFAULT_SESSION  
    ;;  
esac
```

## Home directory organisieren

[http://www.splitbrain.org/blog/2008-02/27-keeping\\_your\\_home\\_directory\\_organized](http://www.splitbrain.org/blog/2008-02/27-keeping_your_home_directory_organized)

```
export TD="$HOME/tmp/`date +%Y-%m-%d`"  
td(){  
  td=$TD  
  if [ ! -z "$1" ]; then  
    td="$HOME/tmp/`date -d "$1 days" +%Y-%m-%d`";  
  fi  
  mkdir -p $td; cd $td  
  unset td  
}
```

From:

<https://g6r.de/dw/> - **g6r**

Permanent link:

<https://g6r.de/dw/linux:arch?rev=1385246266>

Last update: **2014-05-07 10:53**

