

# Archlinux

## Hilfe

- <https://wiki.archlinux.org>
- <https://wiki.archlinux.de>
- <https://bbs.archlinux.org>
- <https://bbs.archlinux.de>

## X Starten ohne Displaymanager

<https://bbs.archlinux.org/viewtopic.php?pid=971168#p971168>

```
# --- window manager ---
# i.e. usage: WM=ob startx for openbox

DEFAULT_SESSION=i3
case $WM in
ob)
    dbus-launch --exit-with-session openbox-session
    ;;

*)
    dbus-launch --exit-with-session $DEFAULT_SESSION
    ;;
esac
```

## Home directory organisieren

[http://www.splitbrain.org/blog/2008-02/27-keeping\\_your\\_home\\_directory\\_organized](http://www.splitbrain.org/blog/2008-02/27-keeping_your_home_directory_organized)

```
export TD="$HOME/tmp/`date +%Y-%m-%d`"
td(){
    td=$TD
    if [ ! -z "$1" ]; then
        td="$HOME/tmp/`date -d "$1 days" +%Y-%m-%d`";
    fi
    mkdir -p $td; cd $td
    unset td
}
```

From:

<https://g6r.de/dw/> - **g6r**

Permanent link:

<https://g6r.de/dw/linux:arch?rev=1390335204>

Last update: **2014-05-07 10:53**

